

SMART TOILET

I M E X

JUNE, 2023

CONTENTS



01 Basic serie
GANG XI ZHI NENG TUI JIAN

02 Advanced serie
QUAN ZHI NENG TUI JIAN

03 Project serie
GAO DUAN TUI JIAN

01 Basic serie


GANG XU ZHI NENG TUI JIAN

CZ1052



GLASS display

Light luxury



Decorative panel in glass enhances product texture

Pure flat seat cover maintains a consistent style with the glass panel



Product rendering



Side view



Front view



Cover opening status

Functions of CZ1052						
Heating mode	Instant heating			Flushing	Ceramic seat flush	●
Washing	Rear wash	●			Seperate cistern	-
	Lady wash	●			Automatic flushing	●
	Sparkling wash	●			Emergency flushing	-
	Oscillating wash	●			Foot touch flushing	●
	Adjustable pressure	●			Remoting flushing	●
	Adjustable temperature	●			Pre-wetting	●
	Adjustable sprayer	●			Self-cleaning glaze	●
Seat heating	Seat senor	●		Cleaning	Deodorization	-
	Seat heating	●			Antibacterial Seatcover	●
	Adjustable temperature	●			Detachable sprayer	●
Drying	Dryer	●			Spraying Self-cleaning	●
	Adjustable temperature	-			Spraying cleaning	●
Remote control	2.4G Radio frequency remote control	●			Antifreeze filtration	●
					Ultraviolet sterilization	-
Flipping	Auto flip	-		Sprayer	Curved spray rod in S.S.	●
	Remote flip	-		Other function	Light	●
	Food sense flip	-			Foam shield	-
	Soft close	●			Digital display	●

备注： " ● " Available, " - " Not available(Optional)



Foot-touch flushing

Foot-touch flushing

Free of bending

Light guidance

No disturbance

304 S.S

Metal Button

100000+ Times

Reliable

Central location

Symmetric design

Easy after-sale service

Easy & cost saving repairing



Multi modes of washing

Rear wash, Lady wash, Massage wash and Self-cleaning sprayer provide different washing modes.



Rear wash
Single sprayer



Lady wash
3-hole sprayer



Massage wash
Bigger cleaning area
Better experience



**Self-cleaning
Sprayer**
Cleaner washing feeling

Water pressure adjustment: 3 speed
Water temperature adjustment: 4 speed
Sprayer position adjustment: 5 speed

A comfortable experience of Toilet time in Winter

Enjoy the full surround warm feeling, allowing every inch of the bottom's skin to feel a constant temperature




30 temperature sensors



4 speed temperature adjustment



Ergonomically design



SIAA Antibacterial certification

SIAA authoritative certification, antibacterial and antibacterial, effectively avoiding cross infection

**A 99% Antibacterial rate of
Staphylococcus aureus and
Escherichia coli**



Rapidly providing a continuous supply of hot water

High heating efficiency: Instantly hot water supply in 0.2 seconds, ready to use on/off, avoiding the awkward experience of the first cold water stimulation, keeping you warm all the time when going to the bathroom

Stable heating performance: Using ceramic tubes for heating, when the water temperature reaches the set temperature, the temperature difference is controlled at $\pm 1\text{ }^{\circ}\text{C}$

Unlimited washing: A continuous supply hot water, wash as long as you want

Inlet sensor of water temperature

Outlet sensor of water temperature



02 **Advanced serie**

QUAN ZHI NENG CHAN PIN TUI JIAN

Basic serie

Advanced serie

Premium serie

New experience of All-around toilet

- Auto open lid
- Foam shield
- Auto flush
- Foot sense flush
- Sensor night light
- Multi flushing mode
- Instant water heating
- Dryer
- No catalyst to remove odour
- 2 Times Siphon flushing
- Non-return valve
- Plasma sterilization
- Antibacterial materials
- Digital display
- Remote control

CZ1041A



No bending No touching

Foot sense flip

Non contact induction switch that can achieve foot sensing flip and loop functions. When both the toilet cover and seat ring are closed, touch the sensing area with your foot to open the toilet cover;

When the toilet cover is opened and the seat ring is closed, touch the sensing area with your foot to open the seat ring

Foot sense flushing

After going to the bathroom, the foot can reach the sensing area (within 30mm) to sense flushing, which brings great convenience to men when going to the bathroom.



CZ1041A

CZ1041A

● 离座 After using



Basic serie

Advanced serie

Premium serie



Auto Flushing after using

Have the toilet flushed with hands free

No worry of forgetting to flush the toilet

CZ1041A



Foam shield

No splashing No odour No sewage

The delicate foam is covered with foam, and the thickness of the thickened foam layer can reach 30mm. The ceramic wall covered with foam is locked under the dense foam layer, which can play the role of anti splattering, non sticking and deodorization.




CZ1041A

Large display digital display

IML Panel

The current status is clearly visible at a glance,
Seat temperature, water temperature, and
wind temperature are all available.



CZ1041A

KNOB CONTROL



One knob control with functions such as cleaning, flushing, drying adjustment, water pressure adjustment, and cleaning position adjustment, making the operation simpler

Paired with fashionable and gorgeous dynamic lighting effects, creating a spatial atmosphere and adding a warm and comfortable sanitary environment

03 Project serie

GAO DUAN CHAN PIN TUI JIAN

Basic serie

Advanced serie

Premium serie


CZ1049Q



Simple and smooth lines
showcase natural beauty




Size:



Item: CZ1049Q	Function	
Seat	Antibacterial Seatcover	●
	Soft close	●
	Seat heating	●
	Adjustable temperature	●
Flushing	Pre-wetting	●
	Auto flushing	●
	Button flushing	●
	Foot sense flushing	◎
	Emergency flushing	◎
Light	Light	◎

“●” 表示具备此功能， “◎” 表示可选配此功能 ；





One click twice syphon flushing.

Double cleaning.


Evacuate the dirt inside the toilet twice in a row to truly achieve no residual flushing, and the water consumption meets the requirements of national standard level 2 water efficiency. Utilizing the Venturi principle, the flushing force is strong and the flushing effect is good.

Advantage:

- (1) 1st flush: To take sewage away,
2nd flush: Flush away residual dirt inside the water seal and clean the pipeline.
- (2) Segmented flushing, with low flushing noise and short peak noise, solves the problem of high and long-lasting noise caused by non water tank spraying on the market

Preventing sewage backflow


Adopting an air normally open anti siphon design:
When the machine is in standby, there is a 130mm air gap between the inlet water source and the toilet sewage to ensure isolation between the inlet water source and the sewage air. When the toilet generates negative pressure, the normally open air gap can always maintain isolation between the inlet water source and the sewage air, prevent sewage backflow, and ensure that the inlet water source is not polluted.




One click intelligent control, easy to control

Mechanical side buttons with lightweight design.

Common functions with 4-key circular layout for easy recognition.



Three speed temperature control: Regular 34°C 38°C



Ambient lighting

Always on/off night lights for easy use at night. The night light adopts warm white light, and the light effect is more pure and peaceful when used at night

Thanks for your attention

HE ZUO GONG YING

MIAN XIANG WEI LAI